

1.3MP HD IP IR Bullet Camera

Main Features

- ⇒ 1/3" 1.3MP Progressive scan Sony CCD
- ⇒ H.264 & MJPEG dual-stream encoding
- ⇒ Max 12/15fps@1.3M(1280×720)&25/30fps@720P(1280×720)
- ⇒ D-WDR, Day/Night(ICR), 2DNR, Auto iris, AWB, AGC, BLC
- ⇒ 8~20mm varifocal lens
- ⇒ Built-in 2/1 alarm in/out
- ⇒ Max. IR LEDs length 50m
- ⇒ Micro SD memory, IP66
- ⇒ Mobile Software: CMOB
- ⇒ CMS Software: IPSS



Feature	Specification
Image Sensor	1/3" 1.3Megapixel PS CCD
Minimum Illumination	0.2Lux/F1.6 (Color), 0.01Lux/F1.6(B/W), 0Lux(IR on)
Shutter Speed	Auto/Manual,1/50~1/10000s
White Balance	Auto
Gain Control(AGC)	Auto/Manual
Lens	8~20mm
S/N Ratio	more than 50dB
Back Light Compensation	BLC / HLC / DWDR
Video Compression	H.264 / MJPEG
Resolution	1.3M(1280×960) / 720P(1280×720) / D1(704×576) / CIF(352×288)
Video Output	1 channel BNC(1.0Vp-p, 75Ω)
Privacy Mask	Up to 4 areas
ICR	Auto(ICR)/Color/B/W
Audio Input	1 Ch.
Audio Output	1 Ch.
Audio Compression	G.711a / G.711u(64kbps) / PCM(128kbps)
Alarm IN	2 Ch.
Alarm Out	1 Ch.
Protocol	IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour, ONVIF Ver. 2.0
Ethernet	RJ-45 (10/100Base-T)
User Account	10 users
Smart Phone	iPhone, iPad, Android, Windows Phone
IR	50m
Micro SD	Micro SD, Max 32GB

Feature	Specification
Weatherproof Standard	IP66
Power Source	DC12V(AC24 optional)
Power Consumption	<15W
Operating Temperature	-10°C~+60°C, 10%~90%
Dimension	118.3mm×288.3mm×101mm
Weight	2.5Kg